

Pink Intimate System

The ideal delicate solution for female genital area



All organs of the body, including genitalia, are subject to a slow and gradual aging that leads to functional and structural changes.

The natural causes of aging are mainly concentrated in the vulvar tract, which is subjected to a generalized atrophy.

The modifications of the female genital parts occur gradually, mainly during the pre-menopausal period, from the age of 42 to the age of 50, and they increase more rapidly after this period due to the reduction of estrogen levels.

Vaginal aging

- Causes
- Evolution
- Therapeutic approaches

Vaginal aging


- There are a number of factors that cause the vaginal lips, or labia, to sag and the vaginal muscles to weaken.
- During the aging process, the skin becomes less elastic.
- As the skin loses its natural collagen and fat, the labia become looser and are more prone to droop with gravity.




Vaginal aging


• Fluctuations in weight, pregnancy, and vaginal childbirth, can all cause the muscles of the vaginal canal to stretch and weaken.

• The pre-menopausal and menopausal periods mark the beginning of the process of vaginal (or vulvar) ageing: the sharp decrease of hormone levels leads to a gradual thinning of both the vulva and the vaginal walls, which brings about unpleasant effects such as vaginal dryness and pain during sexual intercourse



Vulvar Ageing






Pre monopausa Post menopausa



Vulvar and vaginal atrophy in four European countries: evidence from the European REVIVE Survey


R. E. Nappi^a, S. Palacios^b, N. Panay^c, M. Particco^d and M. L. Krychman^e

CLIMACTERIC, 2016 VOL. 19, NO. 2, 188-197



Vaginal aging

- Loss of tone
- · Vaginal dryness
- · Perineal muscular atrophy
- Loss of pubic hair
- Tissue thinning
- Loss of volume in the vaginal lips
- · Clitoral involution





The current aesthetic medical solutions All the problems described may be now partially solved using mostly invasive or extremely expensive medical treatments.

- Lipofilling
- Regeneration with PRP
- Fillers
- Intravaginal laser
- Skin revitalization
- "Vaginal Narrower" thread

More or less invasive treatments with sectoral results targeted at a specific blemish.

The evolution of dermo-cosmetic applications



Promoitalia, leader in the aesthetic medical sector, offers a new minimally invasive solution to lift and renew the skin in the vaginal area: Pink Intimate System.

It's a valuable aid to alleviate, improve and solve the most common problems that arise, as years go by, in intimate areas of the body.

A real and specific anti-aging solution for the vaginal area.

Quick and easy to use, it allows to quickly solve the most common beauty flaws of an area often difficult to treat.

Pink Intimate System

Pink intimate System is a solution composed of unique and efficient ingredients, mixed to guarantee an immediate effect:

- Ingredients with a lifting and whitening action:
 - Modulated chloroacetic acid
 - Urea peroxide

.

- Kojic acid
 - Rucinol
- Glutathione
- Regenerating, biostimulating and soothing ingredients:
 - Papaine
 - Gynesteine
 - Retinol
 - Bisabolol


Glycyrrhiza Glabra Root Extract




Ingredients with a peeling, whitening and lifting action

Ingredients with a lifting and whitening action: Chloroacetic acid modulated with Urea Peroxide

- Chloroacetic acid, or MCA, is a derivative of acetic acid, not much aggressive but very effective for skin blemishes.
 Its chemical structure presents a hydrophilic / lipophilic balance, such as to reach the intermediate layers of the dermis.
- MCA, if mixed with a suitable amount of urea peroxide, reduces its acidic characteristics and greatly increases its permeability. The result is a mixture able to easily overcome the dermo-epidermal barrier without damaging it and reaching the medium-deep layers of the dermis in absolute safe way.





Ingredients with a lifting and whitening action: Chloroacetic acid modulated with Urea Peroxide

Once the mid-deep dermis is reached, the stabilization process is interrupted by cellular enzymes thus producing free and active MCA.

The final effect will be a controlled protein denaturation that will immediately determine a lifting effect in the tissue and stimulating effect on the fibroblast cells.


Ingredients with a lifting and whitening action: Kojic acid

Kojic acid is an organic acid extracted from fermented rice particularly useful in the treatment of cutaneous hyperchromia and melanogesic hyperactivity.

Kojic acid is in fact a false substrate of tyrosine hydroxylase, the enzyme can convert tyrosine into melanin in the melanogenesis process.

By blocking the enzyme the production of melanin reduces thus producing a whitening effect on the skin.

Its structure is also able to stabilize MCA by enhancing the penetration in the dermis.




Ingredients with a lifting and whitening action: Rucinol or B-resorcinol

Synthetic molecule capable of eliminating hyperpigmentation reducing the production of melanin.


Butyl Resorcinol is an inhibitor of tyrosinase, the enzyme that forms melanin.

Differently from kojic acid, the ingredient blocks tyrosinase following a different reaction mechanism. A study with a spot treatment demonstrated that B-Resorcinol is an ingredient effective to obtain brighter and more uniform skin, which acts on the source of production of melanin.



Ingredients for peeling, lifting and whitening action: Glutathione

- Glutathione is a tripeptide thiol with low molecular weight, which plays a primary role in maintaining the intracellular redox balance.
- In addition to its remarkable antioxidant properties, the discovery of its anti-melanogenic properties led to his promotion as lightening agent
- Glutathione is present within the cells in a reduced form and plays a very important role in various physiological functions; studies claim that its whitening effects are the result of the direct and indirect inhibition of the enzyme tyrosinase, and the transition from eumelanin to pheomelanin




Pink Intimate Solution



Regenerating, biostimulati ng and soothing ingredients

Regenerating, bio-stimulating and soothing ingredients Genistein


- Genistein is a phytohormone, extracted from soybeans with a variety of activities not only of metabolic type.
- Its structure similar to estradiol is able to partially stimulate the cells whose growth depends on the hormone production
- (Estradiol-like effect), which is why the vaginal tissues are especially sensitive to its activities.
- It stimulates fibroblasts and other dermal structures of the intimate area.
- Genistein has scavenger properties, is a powerful antioxidant, reduces lipid peroxidation and protects DNA from damage.



Pink Intimate Solution

Regenerating, biostimulating and soothing ingredients Glycyrrhiza Glabra Root Extract

- Glycyrrhetinic acid is a derivative of the roots of the Chinese licorice plant - Glycyrrhiza glabra, and it is known for its anti-oxidant and anti-inflammatory properties. It has also been demonstrated that it favors the restoration of DNA of skin that has been damaged by UV rays.
- Licorice extract has cortisone-like effects by reducing inflammation and restoring the proper dermal-epidermal balance.



Regenerating, biostimulating and soothing ingredients Bisabolol


- It is a completely vegetable component derived from the distillation of essential oil of Vanillosmopsis Erythropoppa, a kind of chamomile.
- It has healing and anti-inflammatory properties. An effective soothing ingredients against irritations.

Thanks to its properties, this ingredient is used in products intended for sensitive skin, skin suffering from atopic dermatitis, seborrheic skin and irritations in general.



Regenerating, biostimulating and soothing ingredients Papaine

- Papain is a proteolytic enzyme extremely effective in delaying the growth of hair and for improving skin quality and texture.
- Its proteolytic activity slows down the aggregation of keratin filaments by reducing the growth of hair and weakening the metabolic activity of the bulb.
- Papain also has a light exfoliation and whitening action, an action however not directed on the metabolism of the melanin pigment but only on its rate of elimination.



Regenerating, biostimulating and soothing ingredients Retinol

• Retinol is a photosensitive molecule extremely effective in promoting cell synthesis and replication.

Its structure allows it to get directly into the cell and carry out its action at the nuclear level.

• Another very important function of this ingredient is to promote collagen release at the dermal level.

The action of retinol is widely documented in the scientific field and its benefits on the dermal level are well known.

• Storage of retinol-based products must be realized in dark containers able to shield solar rays. Heat sources could nullify its effects.

Regenerating, bio-stimulating and soothing ingredients Cobalamin or vitamin B 12

- Vitamin B12, or cobalamin, is an essential vitamin in the processes of formation of red blood cells and cells of the nervous system. Together with the folic acid, another B group vitamin, it supports the synthesis of DNA and RNA.
- In nature it is produced by certain bacteria. This is the most complex among the eight types of B vitamins and is water-soluble.



Pink Intimate Solution



Indications:

- Vaginal laxity
- Atraumatic bio revitalization of the vaginal area
- Inguinal area whitening
- Whitening of the mons pubis and labia majora
- Whitening of nipples
- Whitening of armpits



Content

The box contains 14 vials of 10 ml, each with 3 ml of product.

The vials are disposable. One box allows to realize 14 applications.





Protocol

Thoroughly cleanse the skin of the area interested


• Apply a small quantity of product on the area and massage until its complete absorption then rinse with a cotton ball soaked in water and thoroughly dry skin

• Proceed with the same methodology for each area until covering the entire area

• Repeat the application at least 3 times until receiving a visible result in terms of firmness and lifting effect

• In case of very thin and delicate skin repeat the operation only 2 times, in case of thick skin repeat the operation at least 5 times.

Apply a suitable amount of nutrient and soothing cream over the entire area interested.



• 1 session each 7/10 days (depending on the quality and on the age of the skin) for 5/6 sessions

• 1 maintenance session after 3 months

Protocol

Protocol Pink Intimate phototype from 4 to 6

- 1 treatment every 7 days for at least 6 sessions.
- Each treatment (compatible with the thickness and delicacy of the skin, subjective data that
- must be evaluated each time) must be done with at least 5 steps.
- Between one passage and another, wait a few minutes before washing.
- The number of sessions can also be increased (8/10), which always depends on the reaction of the skin (subjective reaction).

Guidelines for whitening the areola of the nipple

- Thoroughly cleanse the area
- Carefully dry the area
- Apply the product
- Gently massage the whole area of the areola until the product is fully absorbed
- Leave the product on for 2 minutes
- Rinse and then thoroughly dry
- Repeat all indications for 3/5 times

• Applications should be performed for at least 5 consecutive weeks, once a week

Guidelines for whitening the inguinal/ underarm areas

- Thoroughly cleanse the area
- Carefully dry the area
- Apply the product
- Gently massage the whole area on which the product is applied until the product is fully absorbed
- Leave the product on for 5 minutes (it is very important to leave the product on the area for this time)
- Rinse and then thoroughly dry
- Repeat all indications for 3/5 times
- Applications should be performed for at least 5 consecutive weeks, once a week
- Please note: do not shave and/or wax the area the same day of the application of the product.
- For optimal results, wax and/or shave the area at least two days before the application of the product.



Slight irritation and/or discomfort may occur due to the presence of numerous hair follicles.


Avoid applications in case of s**upravenous hydrosadenite**

Precautions for use

- The sensation of a slight tingling, felt at the first application must limit the number of applications over the same area
- The sensation of an intense burning limits the execution of the procedure (meaning the skin is irritated)
- Do not undergo the application before a week after the previous one
- Do not apply the product immediately after shaving (minimun 2 days after)
- Protect the mucosa

Before & After Photos






courtesy of our Algerian distributor




courtesy of our Alegerian distributor



courtesy of our Belgian distributor









BEFORE

AFTER 1 SESSION



AFTER 3 SESSIONS





BEFORE AFTER 3 SESSIONS AFTER 5 SESSIONS





BEFORE


AFTER 3 SESSIONS



Before & After 6 applications









After 6 applications





After 6 applications







Before

After 3 sessions



Pink Intimate System



untreated

treated



Before

After 3 sessions



Masterclass

For International training Subscribe at

Masterclass.promoitalia@webpro moitalia.com

Promoltalia Group Spa

Via San Gregorio, 44 – Milan

Tel +39 02 670 77 226



Promoitalia is now available on your mobile phone in 5 different languages!

Pad *<i>éiPhone managerana* Windows Phone

Use Promoitalia's QR code!





Visit our website and our Youtube channel:

www.webpromoitalia.com

www.youtube.com/promoitaliavideo



ΙΙΤΑ

Thank you for your kind attention!

PROMETCAL DITALIA